

REFRIGERATED COUNTERS

Intelligent Electronic controller



Easy changeable door gasket



Easy access charging connection



Ergonomic handle



Adjustable tray holder



Adjustable feet with 15 cm clearance



Round corner



ZETAM'S horizontal refrigerators are designed modularly to fulfill all needs of restaurants and bars assuring high performance, long life, reliability, and excellent hygiene standards. They are available in a variety of models, including solid top counters, Pizza preparation tables, Salad units, Sandwich units, Bottle coolers and Buffet built in cold tops.

Constructed using **Zetam's** monoblock design with external and internal finishes of AISI 10/18 304 stainless steel, insulated with CFC free high density polyurethane foam, interior with round edges and removable stainless steel tray holder for easy cleaning and maximum hygiene, doors fitted with high quality magnetic rubber gaskets, these state of the art units also have counters available with double drawers modules for each section as an option.



REFRIGERATED COUNTERS



ZETAM'S horizontal refrigerators are designed modularly to fulfill all needs of restaurants and bars assuring high performance. Stainless Steel AISI 304 interior and exterior, with monoblock design cooling unit

Optimize your kitchen space!
ZETAM compact refrigerated counters offer high cooling performance with optimized dimensions to maximize space in the kitchen.

SOILD TOP REFRIGERATED

ZETAM GRAND

MODEL	TYPE
ZC2HWTG	WORK TOP 2 DOORS
ZC3HWTG	WORK TOP 3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ



ZETAM OPTIMO



MODEL	TYPE
ZC2HWTG	WORK TOP 2 DOORS
ZC3HWTG	WORK TOP 3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ



Optimo Refrigeration is optimized as a refrigeration solution for your needs. Equipped with smart electronic controller to ensure optimum performance. Stainless Steel AISI 304 interior and exterior, with monoblock desgin cooling unit .

PIZZA TOP COUNTERS

ZETAM GRAND

MODEL	DOORS
ZC2HPIO	2 DOORS
ZC3HPIO	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ

ZETAM OPTIMO



MODEL	DOORS
ZC2HPIO	2 DOORS
ZC3HPIO	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ



ZETAM’S PIZZA TOP COUNTER DESIGNED TO FULFILL ALL NEEDS. Pizza Preparation units with marble top and raised containers holder.

Optimo Refrigeration is optimized as a refrigeration solution for your needs. Equipped with smart electronic controller to ensure optimum performance. Stainless Steel AISI 304 interior and exterior, with monoblock desgin cooling unit .

SANDWICH TOP COUNTERS

ZETAM GRAND

MODEL	DOORS
ZC2HSNG	2 DOORS
ZC3HSNG	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ

ZETAM OPTIMO

MODEL	DOORS
ZC2HSNO	2 DOORS
ZC3HSNO	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ



ZETAM'S SANDWICH UNITS with frontal white cutting board and partial open top accepting GN standard containers.

Optimo Refrigeration is optimized as a refrigeration solution for your needs. Equipped with smart electronic controller to ensure optimum performance. Stainless Steel AISI 304 interior and exterior, with monoblock desgin cooling unit .

SALAT TOP COUNTERS

ZETAM GRAND

MODEL	DOORS
ZC2HSLG	2 DOORS
ZC3HSLG	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ

ZETAM OPTIMO

MODEL	DOORS
ZC2HSLO	2 DOORS
ZC3HSLO	3 DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
1220x700x850	2	290 LT.	+2 / +8	3A	220/1/50HZ
1670X700X850	3	450 LT.	+2 / +8	3.5A	220/1/50HZ



Optimize your kitchen space!

ZETAM'S SALAD UNITS with open top accepting GN standard containers.

Optimo Refrigeration is optimized as a refrigeration solution for your needs. Equipped with smart electronic controller to ensure optimum performance. Stainless Steel AISI 304 interior and exterior, with monoblock desgin cooling unit .

BOTTLE COOLER

ZETAM'S Bottle Cooler units are designed specifically for commercial application to keep your drinks and products at the right temperature .

Equipped with smart electronic controller with digital displays to ensure optimum performance. .

ZETAM OPTIMO



MODEL	DOORS
ZC1HBCO	1 GLASS DOOR
ZC2HBCO	2 GLASS DOORS
ZC3HBCO	3 GLASS DOORS

DIMS (MM)	DOORS	CAPACITY	TEMP. C	INPUT CURRENT(A)	VOLTAGE
600X600X850	1	115LIT	+2 / +8	1.5 A	220/1/50HZ
900x600x850	2	175LIT	+2 / +8	3 A	220/1/50HZ
135X600X850	3	275LIT	+2 / +8	3.5A	220/1/50HZ

